

## Brake Blocks Index Page

	Page		Page
BDW Rig .....	1	Moller .....	9
Bethlehem .....	1	Mountain Rig .....	9
Brewster/Skytop .....	1-2	National .....	9
Bucyrus Erie .....	2-3	Oilwell .....	10
Cardwell .....	3	O.I.M.E. ....	10
Challenger & Continental Emsco .....	3-4	Pemco .....	10
Cooper .....	4-5	Pool .....	11
Crane Carrier .....	5	RMI .....	11
Franks/Cabot .....	5	Seacoast .....	11
Gardner Denver .....	6	Spencer Harris .....	11
Hopper .....	6	Superior .....	11
Ideco .....	6-7	Taylor .....	11
Kremco .....	7	Wagner Morehouse .....	12
Lee Engineering .....	8	Walker-Neer .....	12-14
Mainland .....	8	Wichtex .....	14
Mesa .....	8	Wilson .....	14-15
Mid Continent .....	8		



### Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>BDW Co.</b>				
33-1000	450T; 650MI	18	1" x 8" x 12"	64-3/8" x 1-1/4" 8-3/8" x 1-1/2"
33-1010	800MI; 800MX	22	1" x 9" x 12"	84-3/8" x 1-1/4" 4-3/8" x 1-1/2"
33-1020	1350M	24	1-1/8" x 10" x 12"	104-3/8" x 1-1/2" 16-3/8" x 2"
33-1030	1800M	26	1-1/4" x 10" x 12"	114-3/8" x 1-1/2" 16-3/8" x 2"
<b>Bethlehem</b>				
33-1040	S36; S40; S45; S45E	18	1" x 7" x 11-7/8"	90-5/16" x 1-1/4"
33-1045	S45A	20	1" x 7" x 11-7/8"	100-5/16" x 1-1/4"
33-1050	S50	20	1" x 7" x 12"	100-5/16" x 1-1/4"
33-1060	S55; M58; S60	20	1-1/8" x 8" x 13-21/32"	120-5/16" x 1-1/2"
33-1070	C50	20	1-1/8" x 8" x 12"	120-3/8" x 1-1/2"
33-1080	M810	22	1-1/8" x 8-1/2" x 13-3/4"	132-3/8" x 1-1/2"
33-1090	MC350	12	1-1/8" x 10" x 17-5/16"	48-3/8" x 1-1/2"
33-1100	MC450	18 2	1-1/8" x 10" x 12" 1-1/8" x 10" x 17-1/2"	90-3/8" x 1-1/2" 18-3/8" x 2"
33-1110	MC650; AC 700; AC701; AC702; 1013	20 2 2	1-1/8" x 12" x 12" 1-1/8" x 12" x 10-5/8" 1-1/8" x 12" x 10-1/8"	122-3/8" x 1-1/2"
33-1120	MC950; MC1500	22 2 2	1-1/8" x 12" x 12" 1-1/8" x 12" x 10-5/8" 1-1/8" x 12" x 16-1/4"	116-3/8" x 1-1/2" 16-3/8" x 2"
33-1130	B-3661; CE-3000	30	1-1/4" x 12" x 12"	180-3/8" x 1-1/2"
33-1140	Sand Reel for: B-3661; C50; M58; S45E; S55; S60; M810; 1013;	16	7" x 1" x 11-7/8"	80-5/16" x 1-1/4"
<b>Brewster / Skytop</b>				
33-1160	N4; N35; N4W	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-1170	N55; N45; N4A; D-4	18	1" x 8" x 12"	64-3/8" x 1-1/4" 8 3/8" x 1-1/2"
33-1180	N-5	22	1" x 8" x 12"	88-3/8" x 1-1/4"
33-1190	N7; N75; N75A	22	1" x 9" x 12"	84-3/8" x 1-1/4" 4-3/8" x 1-1/2"
33-1200	N10; N85	22	1-1/8" x 10" x 12"	94-3/8" x 1-1/2" 16-3/8" x 2"
33-1210	Main Drum for: N95; N95A	24	1-1/8" x 10" x 12"	104-3/8" x 1-1/2" 16-3/8" x 2"
33-1220	Main Drum for: N12; NE12; N12A	26	1-1/4" x 10" x 12"	114-3/8" x 1-1/2" 16-3/8" x 2"
33-1230	Main Drum for: N20; N20A	28	1-1/4" x 12" x 12"	124-3/8" x 1-1/2" 16-3/8" x 2"

## Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Brewster / Skytop (Continued)</b>				
33-1235	Main Drum for: SB-3000	28	1-1/4" x 10" x 12"	140-3/8" x 1-1/2"
33-1240	Sand Reel for: D70; N3; N4; N7; 70B	14	3/4" x 6" x 12"	56-3/8" x 1-1/4"
<b>Brewster / Skytop (Mobile Rigs)</b>				
33-1250	Main Drum for: H32-38; H32 & Sand Reel NE12	16	3/4" x 8" x 12"	64-3/8" x 1-1/4"
33-1260	Main Drum for: H38: (Through S/N H-1135 & Up); HE3808	18	1-1/8" x 8" x 12"	72-3/8" x 1-1/2"
33-1280	Main Drum for: H42: (S/N H-1135 & Up)	20	1-1/8" x 8" x 12"	80-3/8" x 1-1/2"
33-1285	Main Drum for: N42; RR400; RR550	20	1-1/8" x 10" x 12"	100-3/8" x 1-1/2"
33-1290	N-46; N-46A; N-46E; SB-1000; SB-1000E; RR-600; RR-650; RR-750; RR-850; TR-800	22	1-1/8" x 10" x 12"	110-3/8" x 1-1/2"
33-1300	Sand Reel for: H32-38; H1 3208	8	1-1/8" x 8" x 12"	32-3/8" x 1-1/2"
33-1310	Sand Reel for: H1 3808-38; H38-42; H1 4210-38; H42-42 H1 4210A-38; H1 4610-38; N42; N46;	18	1-1/8" x 8" x 12"	72-3/8" x 1-1/2"
<b>Bucyrus Erie</b>				
33-1320	24L Bull Reel	7	1/2" x 6" x 11-1/16"	42-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1330	28L Sand Reel	12	1/2" x 3" x 12"	72-3/16" x 1" or BR-3/16" x 1" W/5/8"
33-1340	28L Casing Reel	8	1/2" x 5" x 11"	48-3/16" x 1" or BR-3/16" x 1" W/5/8"
33-1350	28L Bull Reel	14	3/4" x 5" x 11-1/2"	84-3/16" x 1" or BR-3/16" x 1" W/5/8"
33-1360	36L Sand Reel (Old Style)	16	5/8" x 4" x 11-1/2"	96-3/16" x 1" or BR-3/16" x 1" W/5/8"
33-1370	36L Casing Reel (Old Style)	7	1/2" x 6" x 11-1/16"	42-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1380	36L Bull Reel (Old Style)	18	3/4" x 6" x 11-1/2"	108-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1390	36L Sand Reel (New Style)	16	5/8" x 5" x 12"	96-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1400	36L Casing Reel (New Style)	8	1/2" x 6" x 11-3/4"	48-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1410	36L Bull Reel (New Style)	18	3/4" x 7" x 12"	108-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1420	48L Sand Reel	16	5/8" x 6" x 10"	96-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1430	48L Casing Reel	16	5/8" x 5" x 11-3/4"	96-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1440	48L Bull Reel	18	1" x 8" x 12-11/16"	144-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1450	60L Sand Reel	12	1/2" x 3" x 12"	60-3/16" x 1" or BR-3/16" x 1 W/5/8"
33-1460	60L Bull Reel	7	1/2" x 6" x 11-1/16"	42-3/16" x 1" or BR-3/16" x 1 W/5/8"



### Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Cardwell</b>				
33-1480	AH; AL; HL; HS; (MA; MH; Big Drum); A150; A151	18	5/8" x 7" x 10 1/2"	90-5/16" x 1-1/8"
33-1490	A100; AB10; K100 Both Flanges	18	3/4" x 7" x 10"	90-5/16" x 1-1/8"
33-1500	A150A; K; KL; KS; K200; K201; K202; L; LA; L149; M200; Skyhorse;	18	3/4" x 8" x 10-29/32"	90-5/16" x 1-1/8"
33-1510	C-Horse; K200A; KB200A; KM200A; K201A; L350; M250	20	1" x 8" x 10-15/16"	100-5/16" x 1-1/4"
33-1520	RL; S; SS; SU; RS	24	3/4" x 9" x 10"	120-5/16" x 1-1/4"
33-1530	K210; K210A; K210B; KB210; KB210A; K211; K250A; KB250; KM210; KM250; J450; S350	24	1" x 9" x 10-1/4"	120-5/16" x 1-1/4"
33-1540	J700 (Specify Width of Flange)	24	1" x 9" x 10-3/4"	120-5/16" x 1-1/4"
33-1550	K500; KB500; K700; K600	24	1" x 10" x 10-3/4"	120-5/16" x 1-1/4"
33-1560	K200 B + C; KB200 B & C; KM200B	20	1" x 10" x 10-15/16"	100-5/16" x 1-1/4"
33-1565	K1000; KB1000; KH1000	24	1-1/8" x 12" x 12"	144-3/8" x 1-1/2"
33-1570	Sand Reel for: AH; AL; HL; KL; RL; A150; A151	18	5/8" x 7" x 10-1/2"	90-5/16" x 1-1/8"
33-1580	Sand Reel for: DS; DT; K200; K201; K210; K211; KB210; M200A; KM210; LA; L350; M200; MA; MH; O; OA; OC	18	3/4" x 7" x 10-29/32"	90-5/16" x 1-1/8"
33-1590	Sand Reel for: K200A; K200B; K210A; KB200B; KM200B; K210; K210A; K250; KB250; KM210; KM250; M250; J450; J700;	20	1" x 7" x 10-15/16"	100-5/16" x 1-1/4"
33-1600	Sand Reel for: C-Horse; Skyhorse; A-150A	18	3/4" x 8" x 10-29/32"	90-5/16" x 1-1/8"
33-1610	Sand Reel for: K210B; K250A; K600; K700; KB700; KB- 1000	24	1" x 9" x 10-1/4"	120-5/16" x 1-1/4"
33-1620	Sand Reel for: K500; KB500	24	1" x 10" x 10-1/4"	120-5/16" x 1-1/4"
33-1630	Sand Reel for: K200C	20	1" x 10" x 10-15/16"	100-5/16" x 1-1/4"
<b>Challenger &amp; Continental Emsco</b>				
33-1640	280	14	3/4" x 6" x 12"	56-3/8" x 1-1/4"
33-1650	320; 320H; 360	16	1" x 8" x 12"	96-3/8" x 1-1/4"
33-1660	G36; G300; GA250T; GA350; GB350; GC350	16	1" x 6-1/2" x 13"	64-3/8" x 1-1/4"
33-1670	GA160T	14	1" x 7-1/2" x 12"	56-3/8" x 1-1/4"
33-1680	GB160T; GB160TS	16	1" x 7-1/2" x 12"	64-3/8" x 1-1/4"
33-1690	GB250T; GB350T; GC350; T103-250	18	1" x 7-1/2" x 12"	72-3/8" x 1-1/4"
33-1700	G42; G450; G500; GA500; GB500	20	1" x 7-1/2" x 12"	80-3/8" x 1-1/4"
33-1710	GC500; A550; WSI; D-1; D-2; D-2E; D-2M	20	1" x 8" x 12"	80-3/8" x 1-1/4"
33-1720	GB800; A800; A800E	20	1-1/8" x 9" x 13"	120-3/8" x 1-1/2"
33-1730	J1100; ED60; EDA	22	1-1/4" x 9" x 12"	120-3/8" x 1-1/2" 12-3/8" x 2"
33-1740	J750; J1000; CB54; H54; H54A; (4-Hole) UB54; UH54A; UBLS54; EC54; ECA54; FRC54; ED & DEL 54 Series Type A, C, CA, CB & CC 54" Brakes	20	1-1/4" x 9" x 12"	68-3/8" x 1-1/2" 12-3/8" x 2"
33-1745	J750; J1000; CB54; H54; H54A; (6-Hole) UB54; UH54A; UBLS54; EC54; ECA54; FRC54; ED & DEL 54 Series Type A, C, CA, CB & CC 54" Brakes	20	1-1/4" x 9" x 12"	108-3/8" x 1-1/2" 12-3/8" x 2"

## Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Challenger &amp; Continental Emsco (Continued)</b>				
33-1746	D-3	20	1-1/4" x 9" x 12"	12"-3/8" x 2"
33-1750	J1400; J1600; ECC; J1250	24	1-1/4" x 9" x 12"	132-3/8" x 1-1/2" 12-3/8" x 2"
33-1760	J2000; EDA-60-L	26	1-1/4" x 9" x 12"	144-3/8" x 1-1/2" 12-3/8" x 2"
33-1770	EDE; EDES	22	1-1/4" x 10" x 12"	132-3/8" x 1-1/2"
33-1780	A1100 Electro-Hoist II (#1 through #15)	24	1-1/4" x 10" x 12"	140-3/8" x 1-1/2" 4-3/8" x 2"
33-1790	A-1500; A-1500E	28	1-1/4" x 10" x 12"	164-3/8" x 1-1/2" 6-3/8" x 2"
33-1800	C-1	22	1-1/4" x 10" x 12"	128-3/8" x 1-1/2" 4-3/8" x 2"
33-1810	C-2; C-2-11; C-2-111 Electro-Hoist II (#16 and Up)	24	1-1/4" x 10" x 12"	140-3/8" x 1-1/2" 4-3/8" x 2"
33-1820	C-3; C-3-11; C-3-111	28	1-1/4" x 10" x 12"	164-3/8" x 1-1/2" 6-3/8" x 2"
33-1830	Electro-Hoist III, CE-3000; B-3661	30	1-1/4" x 12" x 12"	180-3/8" x 1-1/2"
33-1840	Sand Reel for: GA250T; G36; G300; G450; G500; GA350; GB350; GB800; G42	14	1" x 6-1/2" x 13"	56-3/8" x 1-1/4"
33-1850	Sand Reel for: CE-3000 (to Serial #117)	16	1" x 7" x 11-7/8"	80-5/16" x 1-1/4"
33-1860	Sand Reel for: GB160T; GB160TS; GB250T; T103-250	14	1" x 7-1/2" x 12"	56-3/8" x 1-1/4"
33-1870	Sand Reel for: GC350T; GA500; GC500; A550; A800; J1110; J1250; J1400; J1600; WSI; T103; D2; D3	16	1" x 7-1/2" x 12"	64-3/8" x 1-1/4"
33-1880	Sand Reel for: A1100; A1500; CE; C2; C1 CE-3000 (S/N #117 & over); ECR; ECR25;	18	1" x 7-1/2" x 12"	72-3/8" x 1-1/4"
<b>Cooper</b>				
33-1890	A26; A26-26; TR26-26; TR26; 26" x 6" Brake	12	3/4" x 6" x 12"	48-3/8" x 1-1/4"
33-1900	P32; P132	14	3/4" x 6" x 12"	56-3/8" x 1-1/4"
33-1910	TR-36; TRP-136; P-136 (4-Hole)	16	1" x 6" x 12"	64-3/8" x 1-1/4"
33-1915	TR-36; TRP-136; P-136 (6-Hole)	16	1" x 6" x 12"	96-3/8" x 1-1/4"
33-1920	A32; A32-32; TR32; (32" x 8" Brakes) (4-Hole)	16	1" x 8" x 12"	64-3/8" x 1-1/4"
33-1925	A32; A32-32; TR32; (32" x 8" Brakes) (6-Hole)	16	1" x 8" x 12"	96-3/8" x 1-1/4"
33-1930	A38; TR38; LTO38-38; (38" x 8" Brakes) (4-Hole)	20	1" x 8" x 12"	72-3/8" x 1-1/4"
33-1935	A38; TR38; LTO38-38; (38" x 8" Brakes) (6-Hole)	20	1" x 8" x 12"	108-3/8" x 1-1/4"
33-1940	A42; A142; (42" x 8" Brakes) (4-Hole)	20	1" x 8" x 12"	80-3/8" x 1-1/4"
33-1945	A42; A142; (42" x 8" Brakes) (6-Hole)	20	1" x 8" x 12"	120-3/8" x 1-1/4"
33-1950	LTO38-38; (38" x 10" Brakes)	18	1" x 10" x 12"	108-3/8" x 1-1/4"
33-1960	A4210; TR4210; LTO-4210; LTO-350 (4-Hole) Sand Reel for 42-42; (42" x 10" Brakes)	20	1" x 10" x 12"	80-3/8" x 1-1/4"



### Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Cooper (Continued)</b>				
33-1965	A4210; TR4210; LTO-4210; LTO-350 (6-Hole) Sand Reel: for 42-42; (42" x 10" Brakes)	20	1" x 10" x 12"	120-3/8" x 1-1/4"
33-1970	D5000; 520 (4-Hole)	24	1" x 10" x 12"	96-3/8" x 1-1/4"
33-1975	D5000; 520 (6-Hole)	24	1" x 10" x 12"	144-3/8" x 1-1/4"
33-1980	Oiler 4212-42; LTO-4212; LTO-750; LTO-550 (42" x 12" Brakes)	20	1-1/8" x 12" x 12"	120-3/8" x 1-1/2"
33-1990	Sand Reel for: TR 42-36; TR 36-38 (4-Hole)	16	1" x 6" x 12"	64-3/8" x 1-1/4"
33-1995	Sand Reel for: TR 42-36; TR 36-38 (6-Hole)	16	1" x 6" x 12"	96-3/8" x 1-1/4"
33-2000	Sand Reel for: 38-38; 4210-38; 4212-38 (4-Hole)	18	1" x 8" x 12"	72-3/8" x 1-1/4"
33-2005	Sand Reel for: 38-38; 4210-38; 4212-38 (6-Hole)	18	1" x 8" x 12"	108-3/8" x 1-1/4"
33-2010	Sand Reel for: LTO-4210; LTO-4212	20	1" x 8" x 12"	120-3/8" x 1-1/4"
<b>Crane Carrier</b>				
33-2020	Main Drum 42" x 8"	20	1" x 8" x 12"	80-3/8" x 1-1/4"
33-2030	Corsair; 400; 42" x 10"	20	1" x 10" x 12"	120-3/8" x 1-1/4"
33-2040	Model 500; 42" x 12"	20	1-1/8" x 12" x 12"	120-3/8" x 1-1/2"
33-2050	Sand Reel for: 42" x 10" & 42" x 8"	20	1" x 8" x 12"	80-3/8" x 1-1/4"
<b>Franks / Cabot</b>				
33-2200	120; 658; 865; No. 65 (Old 5000) (38" O.D.)	18 2	1" x 8" x 12" 1" x 8" x 6"	120-5/16" x 1-1/8" 32-5/16" x 1-1/4"
33-2210	3810; 1058; 65-10	18 2	1" x 10" x 12" 1" x 10" x 6"	120-5/16" x 1-1/8" 32-5/16" x 1-1/4"
33-2220	658; 87 (Old 7000) Air Cooled	20 2	1" x 10" x 12" 1" x 10" x 6"	136-5/16" x 1-1/8" 32-5/16" x 1-1/4"
33-2250	4212; 2042; 1287; 1287-W; 750; 750E; 700E	20 2	1-1/8" x 12" x 12" 1-1/8" x 12" x 6"	136-5/16" x 1-1/4" 32-5/16" x 1-1/2"
33-2270	2550; 1000; 1100; 1200; 1500	22 2(M) 2	1-1/8" x 12" x 12" 1-1/8" x 12" x 12" 12" x 1-1/8" x 6"	180-5/16" x 1-1/4" 20-5/16" x 1-1/2"
33-2290	Sand Reel for: 80; 3208; 844	16	1" x 8" x 12"	96-5/16" x 1-1/8" 32-5/16" x 1-1/4"
33-2300	Sand Reel for: 120; 1058	18 2	1" x 8" x 12"	120-5/16" x 1-1/8" 32-5/16" x 1-1/4"
33-2310	Sand Reel for: 160; 1287 and (Main Drum for 87-8; 8160)	20 2	1" x 8" x 12" 1" x 8" x 6"	136-5/16" x 1-1/8" 32-5/16" x 1-1/4"

## Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Gardner Denver</b>				
33-2320	2500 Mayhew	14	3/4" x 8" x 12"	56-3/8" x 1-1/4"
33-2330	3000 Mayhew	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-2340	5000 Mayhew	22	1" x 8" x 12"	88-3/8" x 1-1/4"
33-2350	500; 1500-S	20	1" x 8" x 12"	80-3/8" x 1-1/4"
33-2360	700; 700E; 800; 800E; 1000-S	20	1" x 9" x 12"	120-3/8" x 1-1/4"
33-2370	1100; 1100E	22	1-1/8" x 10" x 12"	132-3/8" x 1-1/2"
33-2380	1500; 1500RE	24	1-1/4" x 11" x 12"	144-3/8" x 1-1/2"
33-2390	2100; 2100E; 3000E	26	1-1/4" x 12" x 12"	156-3/8" x 1-1/2"
33-2400	Sand Reel for: 500; 700; 800; 1100; 1500; 1500RE; 2100; 3000	14	3/4" x 6" x 12"	84-3/8" x 1-1/4"
<b>Hopper Hoist</b>				
33-2410	IG Main Drum or Sand Reel (Through S/N 123)	16	1/4" x 8" x 12"	64-3/8" x 1-1/4"
33-2420	IG Main Drum or Sand Reel (After S/N 123)	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-2430	Main Drum: IGX	18	3/4" x 9" x 12"	72-3/8" x 1-1/4"
33-2440	G (Through S/N 127)	16	1" x 9" x 12"	64-3/8" x 1-1/4"
33-2450	G (After S/N 127)	20	1" x 9" x 12"	80-3/8" x 1-1/4"
33-2460	GXXTA	18	1" x 10" x 12"	90-3/8" x 1-1/4"
33-2470	GX Main Drum or Sand Reel (Through S/N 152)	18 2	1" x 10" x 12" 1" x 10" x 6"	94-3/8" x 1-1/4"
33-2480	GX Main Drum or Sand Reel (After S/N 152)	20 2	1" x 10" x 12" 1" x 10" x 6"	104-3/8" x 1-1/4"
33-2490	M (Through S/N 107)	18	1-1/4" x 10" x 12"	90-3/8" x 1-1/2"
33-2500	M (After S/N 107)	24	1-1/4" x 10" x 12"	120-3/8" x 1-1/2"
33-2520	GXHTA (Wide Rig)	20 2	1-1/8" x 12" x 12" 1-1/8" x 12" x 6"	168-3/8" x 1-1/2"
33-2530	Sand Reel: G (Through S/N 145); M (Through S/N 107)	16	3/4" x 8" x 12"	64-3/8" x 1-1/4"
33-2540	Sand Reel: G (After S/N 145); M (After S/N 107)	20	3/4" x 8" x 12"	80-3/8" x 1-1/4"
<b>Ideco</b>				
33-2570	H20; M20; Main Drum	16	3/4" x 7" x 12"	64-3/8" x 1-1/4"
33-2590	H25; M25; H30	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-2600	H35; M35	20	3/4" x 8" x 12"	80-3/8" x 1-1/4"
33-2620	H35C (Serial # 192); H40; H525; H725; H; M; & Super 750	20	1" x 8" x 12"	80-3/8" x 1-1/4"
33-2630	Main Drum: Lucky 711; 900	22	1-1/4" x 8" x 12"	132-3/8" x 1-1/2"



### Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Ideco (Continued)</b>				
33-2640	H35C; H35K; H37E; H37ED; H37KD; BIR 551; BIR 3085; BIR 5525	20	1" x 10" x 12"	80-3/8" x 1-1/4"
33-2650	PR-800; M10000; Little Giant; H700; H711	18	1-1/4" x 10" x 12"	72-3/8" x 1-1/2"
33-2660	PR-1050; Jr. Giant 10263 Super Duty; Jr. Super 7-11; 1200; Super 7-11 (Through S/N 178)	20	1-1/4" x 10" x 12"	80-3/8" x 1-1/2"
33-2670	H-1000; PR-1350; 1350-S; 1350-ST; Big Giant	22	1-1/4" x 10" x 12"	88-3/8" x 1-1/2"
33-2680	2500-H, M, E; S/N 153, 154, 155; 161, 162, 163	22	1-1/4" x 10" x 12"	88-3/4" x 1-1/2"
33-2690	PR-1000	24	1-1/4" x 10" x 12"	96-3/8" x 1-1/2"
33-2700	Super 7-11 (S/N 179 and Up); HE-1700; MSH-1200	24	1-1/4" x 10" x 12"	144-3/8" x 1-1/2"
33-2710	H, M, E-2100; 2500-H, M, E; S/N 151, 152, 156, 160, 164 & Up	26	1-1/4" x 10" x 12"	156-3/8" x 1-1/2"
33-2720	H44-C	20	1-1/8" x 11" x 12"	120-3/8" x 1-1/2"
33-2730	E-3000	30	1-1/4" x 12" x 12"	180-3/8" x 1-1/2"
33-2740	Sand Line: H20; (Optional)	16	3/4" x 5" x 12"	64-3/8" x 1-1/4"
33-2750	Sand Line: H20C; H20; M20; H25C, D, E; H25F; H30C, D, F; H35F; Lucky 7-11; Jr. Super; 7-11; 900; 1200	16	7" x 3/4" x 12"	64-3/8" x 1-1/4"
33-2760	Sand Line: H25A; M25; H25C (38" Brakes); H30A, H30C; H35; H35C; H35K; H37E; M35; H40; H40C; H44C; H525; H; M; Super 750; H700; H711	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-2770	Sand Line: Super 7-11; HE1700 H35DD; H, M, E 2100; 2500H, M, E	20	3/4" x 8" x 12"	80-3/8" x 1-1/4"
33-2780	Sand Line: E3000	20	1" x 8" x 12"	80-3/8" x 1-1/4"
<b>Kremco (Knoll Rig)</b>				
33-2790	Main Drum for 300 & Sand Reel for 300; 400	16	3/4" x 7" x 12"	64-3/8" x 1-1/4"
33-2800	Main Drum for 400 & Sand Reel for 600	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-2810	600; 600D	20	1" x 10" x 12"	80-3/8" x 1-1/4"
33-2820	750	20	1-1/8" x 11" x 12"	120-3/8" x 1-1/2"
33-2830	K1000	18	1-1/8" x 11" x 12"	108-3/8" x 1-1/2"
33-2840	Sand Reel: 750	20	3/4" x 8" x 12"	80-3/8" x 1-1/4"
33-2850	K200	18	3/4" x 7" x 10-3/4"	72-3/8" x 1-1/4"



## Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Lee Engineering</b>				
33-2880	38" x 8"	18	1" x 8" x 12"	72-3/8" x 1-1/4"
33-2890	42" x 8"	20	1" x 8" x 12"	80-3/8" x 1-1/4"
33-2900	42" x 10"	20	1" x 10" x 12"	120-3/8" x 1-1/4"
<b>Mainland</b>				
33-2920	M320	18	3/4" x 7" x 10-1/2"	90-5/16" x 1-1/4"
33-2930	M360	18	1" x 8" x 10-29/32"	90-5/16" x 1-1/4"
33-2940	M400	20	1" x 10" x 10-15/16"	100-5/16" x 1-1/4"
<b>Mesa</b>				
33-2950	350 Main Drum	20 2	1" x 10" x 12" 1" x 10" x 3"	164-5/16" x 1-1/4"
33-2960	Swab Unit	20 2	1" x 8" x 12" 1" x 8" x 3"	164-5/16" x 1-1/4"
33-2970	1500	20	1-1/4" x 9-3/4" x 12"	120-3/8" x 1-1/2"
33-2980	Sand Reel for: 350	20 2	1" x 8" x 12" 1" x 8" x 3"	164-5/16" x 1-1/4"
<b>Mid Continent (Unit Rig)</b>				
33-3000	U34; U34D; U34E and Sand Reel for U-34	20	3/4" x 7" x 10-3/4"	80-3/8" x 1-1/4"
33-3010	U-10 Regular (Through #79)	22	3/4" x 10" x 9-3/4"	88-3/8" x 1-1/4"
33-3020	U-40	18	1-1/8" x 10" x 12"	72-3/8" x 1-1/2"
33-3030	U15; U35; U36; U36A; U36EA; U10 (#80 Up) (4-Hole)	20	1-1/8" x 10" x 12"	80-3/8" x 1-1/2"
33-3035	U15; U35; U36; U36A; U36EA; U10 (#80 Up) (6-Hole)	20	1-1/8" x 10" x 12"	120-3/8" x 1-1/2"
33-3040	U20 (4-Hole)	20	1-1/4" x 10" x 12-3/4"	80-3/8" x 1-1/2"
33-3045	U20 (6-Hole)	20	1-1/4" x 10" x 12-3/4"	120-3/8" x 1-1/2"
33-3050	U712-A; U712-EA	22	1-1/4" x 10" x 11-1/2"	132-3/8" x 1-1/2"
33-3060	U914A; U914B; U914C; U914EC (4-Hole)	22	1-1/4" x 10" x 12-3/4"	88-3/4" x 1-1/2"
33-3065	U914A; U914B; U914C; U914EC (6-Hole)	22	1-1/4" x 10" x 12-3/4"	132-3/8" x 1-1/2"
33-3070	U30; U1220-A; U1220-B; U1220EB (4-Hole)	28	1-1/4" x 10" x 12"	112-3/8" x 1-1/2"
33-3075	U30; U1220-A; U1220-B; U1220EB (6-Hole)	28	1-1/4" x 10" x 12"	168-3/8" x 1-1/2"
33-3080	Sand Reel for: U15; U-36; U40	10	3/4" x 7" x 10-3/4"	40-3/8" x 1-1/4"
33-3090	Sand Reel for: U20; U35	10	1-1/8" x 10" x 12"	40-3/8" x 1-1/2"
33-3100	Sand Reel for: U712-A; U914-A	18	3/4" x 7" x 10-3/4"	72-3/8" x 1-1/4"
33-3110	Sand Reel for: U17; U29; U24	20	3/4" x 6" x 10-1/4"	80-3/8" x 1-1/4"
33-3120	Sand Reel for: U1220A	18	1-1/8" x 10" x 12"	72-3/8" x 1-1/2"



### Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Moller</b>				
33-3180	D401; D402; S-400	20	1-1/8" x 10" x 12"	120-3/8" x 1-1/2"
33-3190	D322	16	1" x 8" x 12"	96-3/8" x 1-1/4"
<b>Mountain Rig</b>				
33-3200	150	16	3/4" x 8" x 12"	64-3/8" x 1-1/4"
33-3210	250	18	1" x 10" x 12"	72-3/8" x 1-1/4"
33-3220	350	20	1" x 10" x 12"	80-3/8" x 1-1/4"
33-3230	550; 750	20	1-1/8" x 12" x 12"	120-3/8" x 1-1/2"
33-3240	Sand Reel for: 250; 350	18	1" x 8" x 12"	72-3/8" x 1-1/4"
33-3250	Sand Reel for: 550; 750	20	1" x 8" x 12"	80-3/8" x 1-1/4"
<b>National</b>				
33-3260	Main Drum & Sand Reel T8; T8S and Sand Reel T12; T12-S; 200	14	3/4" x 6-1/2" x 11-1/2"	56-3/8" x 1-1/4"
33-3270	Main Drum T12; T16; T20; T20S and Sand Reel for: T20S	16	3/4" x 7-1/2" x 11"	64-3/8" x 1-1/4"
33-3280	T12; (Serial #1513 and Up); T12S; 200 and Sand Reel for: T45	18	3/4" x 7-1/2" x 11"	72-3/8" x 1-1/4"
33-3290	300 and Sand Reel for: 300	20	1" x 7-1/2" x 11-1/4"	80-3/8" x 1-1/4"
33-3300	Type 30 & 40 and Sand Reel for: 125; 130; 1320DE; 1625-M; 1625DE	18	3/4" x 8" x 11-1/2"	72-3/8" x 1-1/4"
33-3310	T25; T32; 50; 50A; 55; 55-P; T45 (4-Hole) H4-10; 610; 370; (K42-Brakes)	18	1-1/8" x 8" x 11-1/2"	72-3/8" x 1-1/2"
33-3315	T25; T32; 50; 50A; 55; 55-P; T45 (6-Hole) H4-10; 610; 370; (K42-Brakes)	18	1-1/8" x 8" x 11-1/2"	108-3/8" x 1-1/2"
33-3320	75; 75-CA; 75-CB; 80; 80B 80-E; (K46-Brakes) (4-Hole)	18	1-1/4" x 9-3/4" x 12"	72-3/8" x 1-1/2"
33-3325	75; 75-CA; 75-CB; 80; 80B 80-E; (K46-Brakes) (6-Hole)	18	1-1/4" x 9-3/4" x 12"	108-3/8" x 1-1/2"
33-3330	110; 110-UE; (K50-Brakes)	20	1-1/4" x 9-3/4" x 12"	120-3/8" x 1-1/2"
33-3340	100; 125; 130; 1320-DE; 1320-M; (4-Hole) 1320-UE; (K54-Brakes)	20	1-1/4" x 9-3/4" x 13"	80-3/8" x 1-1/2"
33-3345	100; 125; 130; 1320-DE; 1320-M; (6-Hole) 1320-UE; (K54-Brakes)	20	1-1/4" x 9-3/4" x 13"	120-3/8" x 1-1/2"
33-3350	Optional with K54-Brakes	2	1-1/4" x 9-3/4" 2-1/2"	4-3/8" x 1-1/2"
33-3360	160; 1625; 1625-M; 1625-DE; 33-62 FE; 34-62-FE; (K62-Brakes)	24	1-1/4" x 9-3/4" x 13"	144-3/8" x 1-1/2"
33-3370	Sand Reel for: T16; T20; T25; T32	16	3/4" x 7-1/2" x 11-1/4"	64-3/8" x 1-1/4"
33-3380	Sand Reel for: Type 40 & 50	14	3/4" x 7-1/2" x 11-1/2"	56-3/8" x 1-1/4"
33-3390	Sand Reel for: 50-A; 55; C75; 75CA; 75CB; 80; 80B; 100; 110; 110-UE; 610; 370	16	3/4" x 7-1/2" x 12"	64-3/8" x 1-1/4"

## Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Oilwell</b>				
33-3400	64-A	26	1" x 7" x 8"	104-3/8" x 1-1/4"
33-3410	64-B	34	1" x 7" x 8"	136-3/8" x 1-1/4"
33-3420	52-T	16	1" x 8" x 12-1/2"	56-3/8" x 1-1/4"
33-3430	500	16	1" x 8" x 12"	64-3/8" x 1-1/4"
33-3440	660; 700	18	1-1/8" x 8" x 12"	108-3/8" x 1-1/2"
33-3450	66; 63-T	20	1-1/8" x 8" x 12- 1/2"	68-3/8" x 1-1/2" 12"-3/8" x 2"
33-3460	76; 760; 740-E	20	1-1/4" x 10" x 12"	60-3/8" x 1-1/2" 20-3/8" x 2"
33-3470	860; 840-E	22	1-1/4" x 10" x 12"	112"-3/8" x 1-1/2" 20-3/8" x 2"
33-3480	E-2000; M-2000	26	1-1/4" x 10" x 12"	136-3/8" x 1-1/2" 20-3/8" x 2"
33-3490	940-E; 96	24	1-1/4" x 11" x 12"	94-3/8" x 1-1/2" 26-3/8" x 2"
33-3500	E-3000; M-3000	28	1-1/4" x 12" x 12"	168-3/8" x 1-1/2"
33-3510	Sand Reel for: 52-T; 63-T; 66; 660; 860; E-2000; ME-2000; 3000; 700; 500	16	3/4" x 7" x 11-1/2"	60-3/8" x 1-1/4" 4-3/8" x 1-1/2"
33-3520	Sand Reel for: 76	14	3/4" x 7" x 12"	56-3/8" x 1-1/4"
33-3530	Sand Reel for: 96	14	3/4" x 8" x 12"	56-3/8" x 1-1/4"
<b>O.I.M.E.</b>				
33-3550	350	20 2	1-1/8" x 10" x 12" 1-1/8" x 10" x 6"	136-5/16" x 1-1/4" 32-5/16" x 1-1/2"
33-3560	500	20	1-1/8" x 8" x 12"	80-3/8" x 1-1/2"
33-3570	SL-5; 750; SL-750	16	1-1/4" x 10" x 12"	80-3/8" x 1-1/2"
33-3580	1250; SL-1250; SL-1500; 2000	18	1-1/4" x 12" x 12"	90-3/8" x 1-1/2"
33-3590	SL-7; SD-7E; SL-1000; 950	18	1-1/4" x 10" x 12"	90-3/8" x 1-1/2"
33-3600	Hercules 2500; Hercules 3000	22	1-1/4" x 12" x 12"	110-3/8" x 1-1/2"
33-3610	4000	32	1-1/4" x 12" x 12"	192-3/8" x 1-1/2"
<b>Pemco "Hoss"</b>				
33-3640	1015	20 2	1" x 10" x 12" 1" x 10" x 6"	152-5/16" x 1-1/8" 16-5/16" x 1-1/4"
33-3650	1220	20 2	1-1/8" x 12" x 12" 1-1/8" x 12" x 6"	152-5/16" x 1-1/4" 16-5/16" x 1-1/4"



### Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Pool</b>				
33-3670	750	16	1-1/4" x 10" x 12"	80-3/8" x 1-1/2"
33-3680	1500	18	1-1/4" x 12" x 12"	90-3/8" x 1-1/2"
33-3690	300; 400	20	1-1/8" x 10" x 12"	104-3/8" x 1-1/4" 76-3/8" x 2"
33-3700	Sand Reel for: 750	8	1" x 10" x 12"	32-3/8" x 1-1/4"
33-3710	Sand Reel for: 300; 400	22	1" x 8" x 10-1/8"	84-3/8" x 1-1/4" 48-3/8" x 2"
<b>RMI</b>				
33-3720	RMI: 4210	20	1-1/8" x 10" x 12"	100-3/8" x 1-1/2"
33-3730	RMI: 1000; 4610	22	1-1/8" x 10" x 12"	110-3/8" x 1-1/2"
<b>Seacoast</b>				
33-3740	750-25; 750-4S	18	1-1/4" x 10" x 11-1/2"	108-3/8" x 1-1/2"
<b>SKYTOP (See Brewster)</b>				
<b>Spencer Harris</b>				
33-3780	5000, 6000	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-3790	7000	20	3/4" x 8" x 12"	80-3/8" x 1-1/4"
<b>Superior</b>				
33-3875	200 PSD	8	1" x 8" x 12"	72-3/8" x 1-1/4"
33-3880	300 PSD; 400 PSD; 500 PSD; 700 PSD; 700 E; 700 M; 700 UE	18	1" x 8" x 12"	72-3/8" x 1-1/2"
33-3890	1000 E; 1000 M; 1000 UE	18	1-1/4" x 9-3/4" x 12"	108-3/8" x 1-1/2"
33-3895	2000 E; 2000 M	20	1-1/4" x 9-3/4" x 13"	120-3/8" x 1-1/2"
33-3900	Sand Reel for: 200 PSD; 300 PSD; 400 PSD	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
33-3905	Sand Reel for: 700 PSD; 700 M; 700 UE; 1000 E; 1000 M; 1000 UE	18	3/4" x 8" x 12"	72-3/8" x 1-1/4"
<b>Taylor</b>				
33-3905	38" x 8"	18	1" x 8" x 12"	72-3/8" x 1-1/4"
33-3910	38" x 10"	18	1" x 10" x 12"	108-3/8" x 1-1/4"
33-3920	42" x 12"	20	1-1/8" x 12" x 12"	120-3/8" x 1-1/2"

## Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Wagner Morehouse</b>				
33-3980	L-1; L-2	14	1/2" x 6" x 9"	56-3/8" x 1-1/4"
33-3990	D-1; D-2; T-2-34	14	3/4" x 6" x 11-1/2"	56-3/8" x 1-1/4"
33-4000	D-2 (Optional)	22	1/2" x 6" x 11-1/2"	88-3/8" x 1-1/4"
33-4010	WM2 Ptod. Hoist; B-1; A-2-A	14	3/4" x 7" x 12"	56-3/8" x 1-1/4"
33-4020	M41-B; M41-A-2; Part No. 1461	16	1" x 8" x 12"	64-3/8" x 1-1/4"
33-4030	D-15-40-B	22	1" x 8" x 11-1/2"	88-3/8" x 1-1/4"
33-4040	D-15-38-B	18 2	1" x 8" x 12" 1" x 8" x 6"	76-3/8" x 1-1/4"
33-4050	T-3-44	18	1" x 8" x 11-1/2"	72-3/8" x 1-1/4"
<b>Walker-Neer</b>				
33-4070	Apache 250-40	20	1" x 10" x 11-7/8"	120-3/8" x 1-1/4"
33-4080	S-32 Standard; S-32 Bull Reel	16	1/2" x 4" x 9"	92-3/16" x 3/4" 4-3/16" x 1-1/4"
33-4090	S-32 Calf Reel	14	3/8" x 4" x 9"	84-3/16" x 3/4"
33-4100	S-32 Sand Reel	12	3/8" x 4" x 9"	72-3/16" x 3/4"
33-4110	S-32 Special; S-32 Bull Reel	20	1/2" x 4" x 9"	116-3/16" x 3/4" 4-3/16" x 1-1/4"
33-4120	S-32 Calf Reel	14	3/8" x 4" x 9"	84-3/16" x 3/4"
33-4130	S-32 Sand Reel	14	3/8" x 4" x 9"	84-3/16" x 3/4"
33-4140	S-33 Standard; C-34 Bull Reel	24	5/8" x 6" x 9"	172-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4150	Calf Reel	16	5/8" x 6" x 9"	108-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4160	Sand Reel	16	5/8" x 6" x 9"	108-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4170	S-33 Super Bull Reel	30	5/8" x 6" x 9"	220-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4180	Calf Reel	16	5/8" x 6" x 9"	108-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4190	Sand Reel	16	5/8" x 6" x 9"	124-3/16" x 3/4" 4-3/16" x 1-1/4"
33-4200	S-43; S-43-A; Bull Reel	20	1/2" x 4" x 9"	116-3/16" x 3/4" 4-3/16" x 1-1/4"
33-4210	Calf Reel	12	3/8" x 6" x 9"	76-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4220	Sand Reel	14	3/8" x 4" x 9"	84-3/16" x 3/4"
33-4230	S-43 (57 Model) Bull Reel	20	1/2" x 4" x 9"	116-3/16" x 3/4" 4-3/16" x 1-1/4"
33-4240	Calf Reel	12	3/8" x 6" x 9"	76-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4250	Sand Reel	16	1/2" x 4" x 9"	92-3/16" x 3/4" 4-3/16" x 1-1/4"



### Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Walker-Neer (Continued)</b>				
33-4260	S-46-A Bull Reel	30	5/8" x 6" x 9"	220-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4270	Calf Reel	18	5/8" x 6" x 9"	124-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4280	Sand Reel	18	5/8" x 6" x 9"	12"4-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4290	S-410; S-410-A Bull Reel	30	5/8" x 6" x 9"	220-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4300	Calf Reel	18	1/2" x 8" x 9"	132-3-16 x 3/4" 30-3/16" x 1-1/4"
3-4310	Sand Reel	18	5/8" x 6" x 9"	124-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4320	C & P-22 Bull Reel	14	3/8" x 4" x 9"	84-3/16" x 3/4"
33-4330	Sand Reel	14	3/8" x 4" x 9"	84-3/8" x 3/4"
33-4340	C & P-23 Bull Reel	16	5/8" x 6" x 9"	96-3/16" x 3/4" 30-3/16" x 1-1/4"
33-4350	Sand Reel	16	5/8" x 6" x 9"	96-3/16" x 3/4" 30-3/16" x 1-1/4"
33-4360	C & P-25A Bull Reel	18	1/2" x 8" x 9"	132-3/16" x 3/4" 30-3/16" x 1-1/4"
33-4370	Sand Reel	18	1/2" x 8" x 9"	132-3/16" x 3/4" 30-3/16" x 1-1/4"
33-4380	C & P-28A Bull Reel	24	5/8" x 6" x 9"	172-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4390	Sand Reel	24	3/4" x 8" x 9"	186-3/16" x 3/4" 30-3/16" x 1-1/4"
33-4400	C-31 Bull Reel	16	1/2" x 4" x 9"	80-3/16" x 3/4" 16-3/16" x 1-1/4"
33-4410	Calf Reel	14	3/8" x 4" x 9"	84-3/16" x 3/4"
33-4420	Sand Reel (Undrilled Lining)	2	1/4" x 3" x 51"	64-3/16" x 3/4"
33-4430	C-32 Bull Reel	12	3/8" x 6" x 9"	76-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4440	Calf Reel	12	3/8" x 6" x 9"	76-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4450	Sand Reel	12	3/8" x 4" x 9"	72-3/16" x 3/4"
33-4460	C-33 Bull Reel	18	5/8" x 6" x 9"	12"4-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4470	Calf Reel	12	5/8" x 6" x 9"	76-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4480	Sand Reel	12	3/8" x 4" x 9"	72-3/16" x 3/4"
33-4490	C-33 Bull Reel	18	5/8" x 6" x 9"	12"4-3/16" x 3/4"

## Brake Blocks

Cat. #	Application	Block Qty	Block Size	Bolt Size
<b>Walker-Neer (Continued)</b>				
33-4500	Calf Reel	12	3/8" x 6" x 9"	76-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4510	Sand Reel	14	3/8 x 4" x 9"	84-3/16" x 3/4"
<b>C-34 Same as S-33 (See Pg. 12)</b>				
33-4530	C-37 Special Bull Reel	30	5/8 x 6" x 9"	220-3/16" x 3/4" 30-3/16" x 1-1/4"
33-4540	Calf Reel	18	1/2" x 8" x 9"	132-3/16" x 3/4" 30-3/16" x 1-1/4"
33-4550	Sand Reel	18	5/8" x 6" x 9"	12"4-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4560	2000	16	5/8" x 6" x 9"	108-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4570	P-5000; R-3-A	18	3/4" x 8" x 9"	132-3/16" x 1" 30-3/16" x 1-1/4"
<b>Wichtex</b>				
33-4600	Model E-90 Bull Reel	28	3/4" x 7" x 8-1/4"	112-3/8" x 1-1/4"
33-4610	Model E-75 Bull Reel	20	3/4" x 8" x 10"	80-3/8" x 1-1/4"
33-4620	Rod/Tube Reel (Undrilled Lining)	2	3/8" x 8" x 7'-1"	100-3/16" x 3/4"
33-4630	E-90 Rod/Tube Machine; Rod & Tube Drum	24	3/4" x 9" x 10"	96-3/8" x 1-1/4"
33-4640	E-75 Rod/Tube Drum	24	3/4" x 8" x 10"	96-3/8" x 1-1/4"
33-4650	C-65 Standard & Heavy Duty Rod/Tube Drum (Undrilled Lining)	2	3/8" x 8" x 7'-10"	100-3/16" x 3/4"
33-4660	R-3 Rotary	16	3/4" x 8" x 10"	64-3/8" x 1-1/4"
33-4670	R-4 Rotary	18	3/4" x 8" x 10"	72-3/8" x 1-1/4"
33-4680	R-5 Rotary	20	3/4" x 9" x 10"	80-3/4" x 1-1/4"
33-4690	R-6 Rotary	24	3/4" x 9" x 10"	96-3/8" x 1-1/4"
33-4700	Sand Reel C-60	20	5/8" x 6" x 8 -1/4"	80-3/8" x 1-1/4"
33-4710	Sand Reel C-65	18	5/8" x 8" x 10"	72-3/8" x 1-1/4"
33-4720	Sand Reel C-75	22	5/8" x 8" x 10"	80-3/8" x 1-1/4"
<b>Wilson</b>				
33-4730	Senior BW-30-3	16	3/8" x 6" x 9-1/2"	110-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4740	Master BW-30-3	18	3/8" x 6" x 9-1/2"	132-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4750	Senior BW-30-5	16	5/8" x 6" x 9-1/4"	110-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4760	Master BW-30-5	18	5/8" x 6" x 9-1/4"	132-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4770	Super BW-32-3	18	3/8" x 8" x 10-1/8"	132-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4780	Super BW-38-5	18	5/8" x 8" x 9-5/8"	12"4-3/16" x 3/4" 20-3/16" x 1-1/4"



**Brake Blocks**

<b>Cat. #</b>	<b>Application</b>	<b>Block Qty</b>	<b>Block Size</b>	<b>Bolt Size</b>
<b>Wilson (Continued)</b>				
33-4790	Mogul Core Reel	11	5/8" x 8" x 9-5/8"	78-3/16" x 3/4" 10-3/16" x 1-1/4"
33-4800	Mogul BW-38-5	22	5/8" x 8" x 9-5/8"	156-3/16" x 3/4" 20-3/16" x 1-1/4"
33-4810	Mogul BW-36-6; Super 38 (Model 30)	22	1" x 8" x 10-1/8"	84-3/8" x 1-1/4" 48-3/8" x 2"
33-4820	Super Mogul 42 (Model 75); 75-P Mogul 42 (Model, 65); 65-P TorcAir; 190-38-9	24	1" x 8" x 10-1/8"	100-3/8" x 1-1/4" 44-3/8" x 2"
33-4830	Giant BW-56; Mogul, 42-10	20	1-1/8" x 10" x 12"	104-3/8" x 1-1/4" 76-3/8" x 2"
33-4840	Atlas; Super Atlas; (Model 120); Super Giant 90; BW-56	22	1-1/8" x 10" x 12"	122-3/8" x 1-1/4" 76-3/8" x 2"
33-4850	Titan BW-56 (Model 150); Super Titan BW-56 (Model 150A); TorcAir; RoadAir	26	1-1/8" x 10" x 12"	158-3/8" x 1-1/4" 76-3/8" x 2"



## Brake Rims & Brake Bands Index Page

### Brake Rims

	Page
BDW Rig .....	1
Bethlehem .....	1
Brewster (see Skytop)	
Cabot/Franks .....	1
Cardwell .....	1
Challenger .....	1
Cooper .....	1-2
Crane Carrier .....	2
Continental Emsco .....	2
Dreco .....	2
Failing .....	2
Gardner Denver .....	3
Hopper .....	3
Ideco .....	3
Kremco .....	3
Knoll .....	4
Lee Engineering .....	4
Mesa .....	4
Moller .....	4
Mid Continent .....	4
National .....	4
Oilwell .....	4
O.I.M.E .....	5
Pemco .....	5
RMI .....	5
Seacoast .....	5
Skytop / Brewster .....	5
Superior .....	5

### Brake Rims (Continued)

	Page
Temco / Taylor .....	5
Titan .....	6
Walker Neer .....	6
Wilson .....	6

### Brake Bands

American .....	7
Bethlehem .....	7
Brewster (see Skytop)	
Cabot / Franks .....	7
Cardwell .....	7
Challenger .....	7
Champion .....	7
Continental Emsco .....	7
Cooper .....	7
Crane Carrier .....	7
Gardner Denver .....	7
Hopper .....	8
Kremco .....	8
Ideco .....	8
Mid Continent .....	8
National .....	8
Oilwell .....	8
O.I.M.E .....	8
Skytop / Brewster .....	8-9
Spencer Harris .....	9
Superior .....	9
Walker Neer .....	9
Wilson .....	9

**SteelMaster™ Brake Rims**

Cat. #	Description	Cooling Type	Diameter	Width	Holes
<b>BDW Rig</b>					
31-1000	450, 650	W/C	40"	10"	12
31-1010	800	W/C	46"	9"	12
31-1020	1350	W/C	50"	10"	16
<b>Bethlehem</b>					
31-1025	S-45E	SPL	36"	8"	6
31-1050	C-50	W/C	42"	8"	8
31-1075	S-55, S-60	SPL	46"	9"	12
31-1100	MC-450	W/C	46"	11"	12
<b>Cabot Franks</b>					
31-1125	Sand Reel	SPL	38"	8"	
31-1150	FRANKS 1058 300T, 100	SPL	38"	10"	16
31-1175	FRANKS 658	SPL	42"	10"	16
31-1200	300, 400, 1287	SPL	42"	12"	16
31-1225	500, 550, 600, 700, 750, 750E, 2042, (1287)	W/C	42"	12"	16
31-1250	900, 900E, 1100, 2346, 2346-SHL	W/C	46"	12"	16
31-1275	1200, 1500, 2550, 2550 OHL	W/C	50"	12"	16
<b>Cardwell</b>					
31-1300	K-100, K-100/SR	SPL	32"	7"	
31-1325	K-150, K-150/SR	SPL	36"	8"	
31-1350	KB-200A	SPL	40"	8"	
31-1375	KB-200C, KB-200C/SR	SPL	40"	10-1/2"	
31-1400		SPL	44"	8-3/4"	
31-1425	K-210B, K-210B/SR, K-250A, K250A/SR, K-600/SR, M-250, L-350	SPL	44"	9-1/2"	
<b>Challenger</b>					
31-1450	SR	SPL	24"	6"	
31-1475	Model 280	SPL	28"	6"	8
31-1480	230, 320, 321	SPL	32"	8"	
31-1500	360, 361	SPL	38"	8"	
<b>Cooper</b>					
31-1550	A-36A; A-36/SR; TR-26; TR-26/SR	SPL	26"	6"	
31-1600		SPL	32"	6"	12
31-1625	A-32, A-32/SR, TR-32/SR	SPL	32"	8"	12
31-1650		SPL	36"	6"	12
31-1675	A-38, TR,38, OILER-300/SR, LTO-150/SR, LTO-250/SR, LTO-350/SR	SPL	38"	8"	12

## SteelMaster™ Brake Rims

Cat. #	Description	Cooling Type	Diameter	Width	Holes
<b>Cooper (Continued)</b>					
31-1700	LTO-150	SPL	38"	10"	12
31-1725	LTO-550/SR, LTO-650/SR, LTO-750S/R	SPL	42"	8"	12
31-1750	OILER-300, OILER-300/SR, LTO-250, LTO-350	SPL	42"	10"	12
31-1775	LTO-350, LTO-550	SPL	42"	12"	12
31-1780	LTO-650, LTO-750	W/C	42"	12"	12
<b>Crane Carrier</b>					
1-1800	Sand Reel	SPL	42"	8"	12
31-1825	200, 300, 400	SPL	42"	10"	12
31-1850	500	W/C	42"	12"	12
31-1860		SPL	42"	12"	12
<b>Continental Emsco</b>					
31-1875	BA-250T, GA-250, GA-250T, GB-250T, GA-350, GB-350	W/C	36-1/4"	9"	9
31-1900	G-36, GB-160T, GB-250T, 350T	SPL	38"	8"	A/R
31-1925	G-42, G-450, G-500, GA-500, GB-500	SPL	42"	8"	A/R
31-1950	GC-500, A-550	W/C	42"	8"	18
31-1975	D-2	W/C	42"	8"	A/R
31-2000	D-3	W/C	42"	8"	A/R
31-2025	GA 500, GB 500	W/C	46"	8"	18
31-2050	J-750	W/C	46"	10"	18
31-2075	C-1	W/C	50"	10"	12
31-2100	Electric Hoist-1, A-1100, C-2	W/C	54"	10"	18
31-2125	J-1400	W/C	54"	11"	18
31-2150	EDA, J-2000	W/C	60"	11"	18
31-2175	EDE, EDES, A-1500	W/C	60"	11"	18
31-2200	Electric Hoist- III, C-3, CE-3000,	W/C	62"	11"	24
<b>Dreco</b>					
31-2225	PSD-3, PSD-4, PSD-700	W/C	42"	8"	A/R
31-2250	1000-E, 1000-M	W/C	46"	10"	12
31-2275	1500-E, 1500-M	W/C	50"	10"	12
31-2300	2000-E, 2000-M	W/C	54"	10"	12
31-2325	3000-E, 3000-M	W/C	62"	12"	16
<b>Failing</b>					
31-2350	90, 95, 3500	SPL	32"	10"	12



### SteelMaster™ Brake Rims

Cat. #	Description	Cooling Type	Diameter	Width	Holes
<b>Gardner Denver</b>					
31-2375	500	W/C	44"	8"	16
31-2400	700, 800, 1000	W/C	46"	9"	16
31-2425	1100	W/C	50"	11"	16
31-2450	1500	W/C	54"	12"	16
31-2475	2100, 3000	W/C	60"	12"	24
<b>Hopper</b>					
31-2500	GX, GX/SR, GXH/SR, M/SR, R/SR	SPL	42"	10 1/2"	24
31-2525	GXH	SPL	42"	12 3/4"	24
31-2540	RTA	SPL	46"	10"	24
<b>Ideco</b>					
31-2575	H-20	SPL	34"	8"	12
31-2600	H-25, H-30, H35/SR	SPL	38"	8"	12
31-2625	H-700	W/C	40"	9"	
31-2650	H-35-A 8"	SPL	42"	8"	12
31-2675	H-35 Special	W/C	42"	8"	12
31-2700	H-35 AD , H-35 KD	SPL	42"	10"	12
31-2725	H-35, H-37	W/C	42"	10"	12
31-2750	H-40	SPL	44"	8"	16
31-2775	H-40, 525, 725, 750	W/C	44"	8"	16
31-2825	H44-C, 250, 700, 800	W/C	44"	11"	16
31-2850	H-900, Lucky 7-11 Main	W/C	46"	9"	16
31-2875	1200	W/C	46"	10"	
31-2900	Super 7-II JR, 1000 (including slots)	W/C	46"	10"	6
31-2925	Super 7-11, 1700	W/C	52"	11"	8
31-2950	Big Giant 1350, 2000, 2100, 2500	W/C	58"	12"	8
31-2955	3000	W/C	14"	64"	8
<b>Kremco</b>					
31-2975	K-200, K-200/SR	SPL	32"	7"	8
31-3000	K-300, K-300/SR	SPL	34"	7"	
31-3025	K-400, K-600/SR, K-600H/SR, K-600T/SR	SPL	38"	8"	12
31-3050	K-750/SR, K-750T/SR	SPL	42"	8"	12
31-3075	K-600, K-600H, K-600T, K-1000T/SR, K-1000TE/SR	SPL	42"	10"	
31-3100	K-650	W/C	42"	10"	12
31-3125	K-750, K-750T	W/C	44"	11"	16
31-3150	K-1000, K-1000T, K-1000TE	W/C	46"	10"	

## SteelMaster™ Brake Rims

Cat. #	Description	Cooling Type	Diameter	Width	Holes
<b>Knoll</b>					
31-3175		SPL	38"	8"	
<b>Lee Engineering</b>					
31-3200	Sand Reel	SPL	42"	8"	
31-3225	L-350, L-450	SPL	42"	10"	12
<b>Mesa</b>					
31-3250	350, 350S/R	W/C	42"	10"	12
<b>Moller</b>					
31-3275		SPL	42"	10"	
<b>Mid Continent</b>					
31-3300	U-34	SPL	38"	7 3/4"	8
31-3325	U-10	SPL	40"	10"	12
31-3350	U-15	SPL	44"	10"	12
31-3375	U-44	SPL	44"	10"	12
31-3400	U-15, U-36A, U-40	W/C	44"	10"	12
31-3425	U-712, U-712-A	W/C	48"	10"	12
31-3450	U-914, U-914-A	W/C	50"	10"	12
31-3475	U-914 Special	W/C	52"	10"	12
31-3500	U-1220, U-1220-A	W/C	10"	60"	16
<b>National</b>					
31-3550	T-12, T-20, T-16	SPL	38"	8"	6
31-3575	T-25, T-32	SPL	38"	8"	6
31-3600	T-45, 50, 50-A, 55, 370, 610	W/C	42"	8"	6
31-3625	4224, 4224/SR, 4225, 4225/SR	SPL	42"	10"	
31-3650	Mobile Rig 600	W/C	42"	11"	
31-3675	80-B, 75	W/C	46"	10"	12
31-3700	110	W/C	50"	10"	12
31-3725	100, 125, 130, 1320	W/C	54"	10"	12
31-3730	160, 1625	W/C	60"	10"	16
<b>Oilwell</b>					
31-3750	52-T	SPL	40"	9"	16
31-3775	63-T, 74-B	SPL	46"	9"	16
31-3800	66, 660	W/C	46"	9"	16
31-3850	76, 760	W/C	46"	11"	20
31-3875	96, 940-E	W/C	54"	12"	16
31-3900	2000-E, 2000-M	W/C	60"	11"	16
31-3925	3000-E, 3000-M	W/C	66"	12"	20



### SteelMaster™ Brake Rims

Cat. #	Description	Cooling Type	Diameter	Width	Holes
<b>O.I.M.E.</b>					
31-3950		SPL	38"	7"	12
31-3975		SPL	40"	7"	12
31-3980		W/C	42"	8"	12
31-4000	SL750, HH750	W/C	42"	10"	6
31-4025	SL1000	W/C	46"	10"	12
31-4050	SL 1500, TBA-2000	W/C	46"	12"	12
31-4075		W/C	48"	10"	12
31-4100	SL-1500-P	W/C	50"	12"	12
31-4125	E-3000	W/C	58"	12"	12
<b>PEMCO</b>					
31-4150	1220	SPL	42"	12"	16
<b>RMI</b>					
31-4175		SPL	42"	10"	
<b>Seacoast</b>					
31-4200	750-2S, 750-4S	W/C	42"	10"	
<b>Skytop / Brewster</b>					
31-4225	Sand Reel	SPL	38"	8"	
31-4250	N-45, N-4A, N-55	W/C	40"	8"	12
31-4275	N-42	W/C	42"	10"	
31-4300	N-7, N-75, NE-75	W/C	46"	9"	12
31-4325	N-85	W/C	46"	11"	16
31-4350	N-95	W/C	50"	12"	16
31-4375	N-12, N-12A,	W/C	54"	12"	24
31-4400	N-20	W/C	60"	12"	24
31-4425	SB-3000E	W/C	62"	10"	
31-4450	RR-400, RR-550	SPL	42"	10"	
31-4475	RR-600	SPL	46"	10"	
31-4500	RR650, RR700, RR850, TR800, N46, NE46, SB1000, SB1000E	W/C	46"	10"	
31-4525	SB-1500, SB-1500E	W/C	50"	10"	16
<b>Superior</b>					
31-4550	300,700	W/C	42"	8"	6
<b>Temco / Taylor</b>					
31-4575		SPL	38"	10"	
31-4600		SPL	42"	12"	

## SteelMaster™ Brake Rims

Cat. #	Description	Cooling Type	Diameter	Width	Holes
<b>Titan</b>					
31-4625		SPL	42"	8"	
31-4650	500, 700	W/C	42"	12"	
<b>Walker-Neer</b>					
31-4675	D-40-2	SPL	42"	10"	
<b>Wilson</b>					
31-4700		SPL	31"	8"	
31-4750	BW-38-5	SPL	32"	8"	
31-4775	SUPER 38	SPL	38"	8"	
31-4800	Giant	W/C	40"	10"	
31-4845		SPL	42"	8"	
31-4850	65, 75, 95	W/C	42"	8"	
31-4875	Mogul	SPL	42"	10"	16
31-4900	Wilson 90, 120	W/C	42"	10"	16



### SteelMaster™ Brake Bands

Cat. #	Ref. #	Description	Cat. #	Ref. #	Description
<b>American</b>			<b>Continental Emsco (Continued)</b>		
32-1000		38" x 8"	32-1290	6296-3743-00	A-1500
32-1010		32" x 10"	32-1300	6217-0178-00	D-2
32-1020		42" x 10"	32-1310	6216-0139-00	D-3
<b>B.D.W.</b>			32-1320	6215-0105-00	C-1
32-1030		800, 850	32-1330	6214-0200-00	C-2, Electric Hoist II
32-1040		1350	32-1340	6212-0529-00	C-3
<b>Bethlehem</b>			32-1350		Electric Hoist III
32-1050		C-50	32-1360		CE-3000
32-1060		S-45-E	<b>CONTINENTAL EMSCO SANDLINE</b>		
32-1070		S-55	32-1370	6215-0112-00	C-1, C-2, C-3, A-1500, A-1100, ECR, ECR-25, CE-3000, S/N 117 & up
32-1080		M-58	<b>Cooper</b>		
32-1090		M-810	32-1380		32" x 6"
32-1100		B-3661	32-1390		36" x 6"
32-1110		1013	32-1400		32" x 8"
32-1120		950	32-1410		38" x 8"
32-1130		S-50	32-1420		38" x 10"
Brewster (See Skytop)			32-1430		42" x 8"
<b>Cardwell</b>			32-1440		42" x 10"
32-1140		KM-250	32-1450		42" x 12"
32-1150		L-350	<b>Crane Carrier</b>		
32-1160		K-200-C	32-1460		42" x 8"
<b>Challenger</b>			32-1470		42" x 10"
32-1170		360, 320	32-1480		42" x 12"
32-1180		361	<b>Cabot/Franks</b>		
<b>Champion</b>			32-1490	20015-65-8	658
32-1190		42" x 8"	32-1500	113-021-000	1058
32-1200		42" x 10"	32-1510	112-005-02	1287, 2042, 4212
<b>Continental Emsco</b>			32-1520	112-005-00	1000, 2346
32-1210	6296-2161-00	GA-250, GA-250-T, GB-350	32-1530	131-005-00	2550, 1200
32-1220	6296-2160-00	GB-250, GC-350, GB-250-T, GA-500, GB-500	32-1540	115-009-00	120 (Sandline)
32-1240	6296-2164-00	G-500, G-450, G-42, GC-500	32-1550		160 (Sandline)
32-1250		J-750	<b>Gardner Denver</b>		
32-1260		J-1250	32-1560	172902	Mayhew 2500
32-1270	6296-6728-00	J-1400, J-1600	32-1570		Mayhew 3000
32-1280		GB-800	32-1580	117264	500
			32-1590	116299	700, 800, 1000
			32-1600	117370	1100
			32-1610	202607	1500
			32-1620	202592	2100, 3000



## SteelMaster™ Brake Bands

Cat. #	Ref. #	Description	Cat. #	Ref. #	Description
<b>Hopper</b>			<b>National (Continued)</b>		
32-1630		GXXTA, GX (after s/n 152)	32-1950	626160	110
<b>Kremco</b>			32-1960	500152	100, 120, 125, 1320
32-1640		600	32-1970	619458-4A	160, 1625
32-1650		750	<b>National Sandline</b>		
<b>Ideco</b>			32-1980	650244-AA	50, 55, 80, 100, 110, 610, 370
32-1660	496-14-02	H-20			New Style (Sandline)
32-1670	591-131-06	H-25C, H-30	32-1990	612067AA	50, 55, 80, 100, 110, 610, 370
32-1680	10383-10A	H-35-C (8" band)			Old Style (Sandline)
32-1690	525-69-01	H-35-C, H-37E (10" band)	32-2000		80-B, 110 (Sandline)
32-1700		H-35-E	32-2010	647470-AA	1320 (Sandline)
32-1710		H-35-K	<b>Oilwell</b>		
32-1720		H-40, H-525, H-750	32-2020	06-041-152	500
32-1730	563-76-01	H-44-C	32-2030		66
32-1740	526-10-05	LUCKY 7-11, 900	32-2040	06-027-215	76
32-1750	573-013-14	H-1000 (11 block)	32-2050		96
32-1760	496-47-01	JR. SUPER 7-11, 1200	32-2060	06-044-094	660, 700
32-1770	519-19-11	1700	32-2070	06-039-327	760
32-1780		HME-2500 (11 block), E-2100	32-2080	06-038-675	840, 860
32-1790	497-67-01	HME-2500 (13 block), E-2100	32-2090	06-047-396	E-2000, H-750
32-1800	585-005-03	PR-1000 (12 block), E-3000	32-2100	06-046-426	E-3000
<b>Mid Continent</b>			32-2110	06-039-069	Neutral Brake f/2000 (w/o Lining)
32-1810	8669	U-34	<b>OILWELL SANDLINE</b>		
32-1820	36947	U-40	32-2120	06-030-730	840, 860, 2000, 700, 500 (Sandline)
32-1830	3146	U-15, U-36, U-10 (s/n 80 & up)	32-2130		E-2000 (SandLine)
32-1840	420089	U-712	<b>O.I.M.E.</b>		
32-1850	450149	U-914	32-2140		750, SL-5
32-1860	400341	U-1220	32-2150		1000, SL-7
<b>MID CONTINENT SANDLINE</b>			32-2160		SL-1500, 2000
32-1870	8669	U-36 (Sandline)	32-2170		2500, SL-3000, SL-11
32-1880	450159	U-712, U-914 (Sandline)	32-2180		4000
32-1890	400437	U-1220 (Sandline)	<b>Skytop / Brewster</b>		
<b>National</b>			32-2190		N-4 (9 block)
32-1900	1800160	T-12, T-20	32-2210		N-4 (8 block)
32-1910	609539	T-32, 50-A, 55	32-2220		N-45, N-55, N-4A
32-1920		Nat Mobile 42" x 10"	32-2310		N-42
32-1930	653216-A	370, 610, T-45	32-2320		N-46
32-1940	39364-A	75, 80-B	32-2230		N-75 Old Style (Loop End)



**SteelMaster™ Brake Bands**

Cat. #	Ref. #	Description	Cat. #	Ref. #	Description
<b>Skytop / Brewster (Continued)</b>			<b>Walker Neer</b>		
32-2240		N-75 (New Style - Lug Type)	32-2370		250/40
32-2250		N-12	<b>Wilson</b>		
32-2260		N-20	32-2380		38" x 8", Super 38
32-2270		N-85	32-2390		42" x 8", Model 75, Model 65
32-2280		N-95 (New Style)	32-2400		42" x 10" (New Style)
32-2290		N-12 A (13 block)	32-2410		42" x 10" (Old Style)
32-2295		38" x 8" Skytop			
32-2300		42" x 8" Skytop			
32-2315		42" x 10" Skytop			
32-2325		46" x 10" Skytop			
<b>Spencer Harris</b>					
32-2330		6000			
32-2340		7000			
<b>Superior</b>					
32-2350		700			
32-2360		1000			